Date:

Monday, 1/7/2008 3:38:40 PM

User:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

**Estimate Number** 

: 12723

P.O. Number

This Issue

: NA

S.O. No. : N)A

Prsht Rev. First Issue

: SMALL /MED FAB

**Part Number** 

**Drawing Name** 

**Drawing Number** 

: D353613

: GASKET

D3536 REV A

Project Number : N/A **Drawing Revision** 

1/21/2008

Material Due Date

Qty:

Each 20 Um:

Written By

Checked & Approved By

Comment

Previous Run

: Est Rev!A

New Issue 07-02-14 JLM

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

NEOPRENE SHEET 0.063

1.0

MNEO60S063

CSTS, GG



Comment: Qty.:

0.8682 sf(s)/Unit

Total:

17.3649 sf(s)

NEOPRENE SHEET 0.063

Batch: 106614

2.0



Comment: FLOW WATER JET

1-Cut as per Dwg D3536 Dwg Rev:\_



Prog Rev:\_

B 8-1-9



2-Deburr if necessary

3.0

IR 8-1-9

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK



Comment: SECOND CHECK



5.0

PACKAGING 1

PACKAGING RESOURCE #1





Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: F11:5/4.

### **Dart Aerospace Ltd**

W/O:		WORK ORDER CHAN	GES			į	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	i						
Part No	):	PAR #: Fault Category:	NCR: Yes	No DQ	A: 🌊	ੇ Date:ੴ	Blonin
			QA:	N/C Close	d:	_ Date: _	

NCR: WORK ORDER NON-CONFORMANCE (NCR								
		Corrective Action Section B				Verification	Annroval	Approval
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
							4 7	
								:
						-		

NOTE: Date & initial all entries

Date:

Monday, 1/7/2008 3:38:40 PM

User:

Kim Johnston

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GASKET

Job Number: 36635

Part Number: D353613

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



U 801.11

# **Dart Aerospace Ltd**

W/O:	ļ		WORK URDER	CHANGES					
DATE	STEP	PR	OCEDURE CHANGE	E	Зу	Date	Qty	Approval Chief Eng / Prod Mgr.	Approval QC Inspector
							]		
Part No	:	PAR #:	Fault Category:					Date:	
					1:AÇ	N/C Close	d:	_ Date:	
NOD.			WORK ORDER NON-CON	FORMANCE (	NCF	<del>3</del> )			

NCR:	·	WORK ORDER NON-CONFORMANCE (NCR)						
		Description of NC		Corrective Action Section B	Verification	Approval A	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
						1		
							ţ	
						.		

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	36635
Description: Gasket	Part Number:	D3536-13
Inspection Dwg: D3536 Rev: A		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
32.90	+/-0.030	37.90				
29.40	+/-0.030	29.40				
27.40	+/-0.030	37.40				
23.90	+/-0.030	2390			-	-
18.98	+/-0.030	18.98				
14.07	+/-0.030	(4.07				
9.15	+/-0.030	9.15				
5.65	+/-0.030	5.65				
3.90	+/-0.030	3,90	A			
8.00	+/-0.030	8-00	) ¥			
14.00	+/-0.030	14.00	يلا			
20.00	+/-0.030	20.00	*			
1.89	+/-0.030	1.89	×			
0.30	+/-0.030	.30	æ			
0.30	+/-0.030	,30	ید			
Ø0.19	+0.005/-0.001	, 19	*			
*****						

Measured by: u	3	Audited by:	I	Prototype Approval:	N/A
Date:	8-1-9	Date:	08/01/09	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	07.06.13	New Issue	KJ/JLM	E

21.50.40

DETAIL A




D3536-11 GASKET

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE SHOP COPY ENGINEERING RETURN TO

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- 2) FINISH: NONE
  3) PART IS SYMMETRICAL ABOUT &
  4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
  5) ALL DIMENSIONS ARE IN INCHES
  6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION



			•			
-	3:	2.90 ——				
		<del>-</del> 29.40				
	_	<del></del> 27.40				
-		23	.90			
	<del> </del>		<del></del> 18.98			
	]	-	14.	07		
				9.15 - - 5.	65	0.90
	~			~~~		1.89
AIL A			8.0	_	3.90	†
60.19 (TYP 4 PLS)	-	20.00	- 14.00			
	D3536-	–13 G	ASKET			

	CB	CB	DART AEROSPACE USA, INC.	<u>ر</u>
CHECKED	?	APPROVED //	DRAWING NO.	REV. A
	PH	<b>*</b>	D3536 SHEET	SHEET 1 OF 6
DATE			TITLE	SCALE
06.10.25	0.25		GASKET	1:10
٨		06 10 25	06 10 25   NEW ISSUE	

CHECKED

APPROVED !

DRAWING NO.

DART

AEROSPACE PORT HADLOCK,

¥

R C.

 $\mathcal{Z}$ 

D3536

SHEET

2 약 SCALE 1:10

GASKET

B



DATE 06.10.25



## D3536-15 GASKET

24.00

39.15

35.65

- 33.65 -30.15

24.90

19.65

16.00

14.40

5.65

3.90

0.90


1.89

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE SHOP COPY ENGINEERING RETURN TO

(TYP 4 PLS)

DETAIL A

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ©
  4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
  5) ALL DIMENSIONS ARE IN INCHES
- IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION



D3536-21 GASKET

DOCUMENT ß Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. PURPOSE 윢

COPIED

봀

07.02.12

-DETAIL A

1.89

0.90

THIS DOCUMENT S Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. **PURPOSE** 욹 COPIED

48.20 33.92 28.53 23.14 -2.00 6.00 - 16.00 #0.19 24.00 (TYP 6 PLS) - 32.00 39.00 48.00 D3536-23 GASKET

52.85



1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

2) FINISH: NONE
3) PART IS SYMMETRICAL ABOUT &
4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
5) ALL DIMENSIONS ARE IN INCHES
6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

7) SEE PAGE 6 FOR DETAILS AND SECTION

1.45	21.80	
RO.06 (TYP)	10.90	DETAIL A
TOOLING NOTCH (TYP)	6.00 - 6.75	1.89
	12.75	₩0.19 (TYP 3 PLS)

D3536-25 GASKET

CB CB	(B)	DART	DART AEROSPACE USA, INC.	<sup>™</sup> USA,	NC.
CHECKED	APPROVED .	DRAWING NO.			REV. A
¥	考	D3536		SHE	SHEET 3 OF 6
DATE		TITLE			SCALE
06.10.25		GASKET			1:10

CHECKED

£

D3536

엄

**4** 유

1:10

DRAWING NO.

B

CB

DART

AEROSPACE PORT HADLOCK,

₹

USA,


R C



DATE

06.10.25

GASKET



**D3536-31 GASKET** 

DETAIL A

≠0.19

(TYP 3 PLS)

22.50

19.00

6.00 -

6.00

MO	TES					
_				SHEET, 1/10		
			METER (REF	DART SPEC.	M-NE060-S.06	3)
2)	FINISH:	NONE				

뒾

DOCUMENT

 $\overline{\mathbf{s}}$ 

2.00 ---

1.89


Copyright © 2006 by DART AEROSPACE USA, INC.


PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

PURPOSE

윢

COPIED





D3536-35 GASKET
-----------------

DART

CHECKED

\$

DRAWING NO.

THE.

OF 6

1:10

B

DRAWN BY

DART

AEROSPACE (

USA,

NC.

DATE

06.10.25

GASKET

27.25 17.75 14.25 1.89 Q 0.19 (YP 4 PLS)

07.02.12

М	TES
1)	MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60
	DUROMETER (REF DART SPEC. M-NE060-S.063)
	FINISH: NONE
3)	PART IS SYMMETRICAL ABOUT &
۸.	TOLEDANCES ARE DED DART ON OAR LINESES

4) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED

봀

DOCUMENT IS

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


PURPOSE

유

COPIED

5) ALL DIMENSIONS ARE IN INCHES 5) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

7) SEE PAGE 6 FOR DETAILS AND SECTION



SEE PAGE 6 FOR DETAILS AND
SHOP COPY RETURN TO RETURN TO RETURN TO RETURN TO RETURN TO ROTTE UNCONTROLLED COPY

<u>D3536-39 GASKET</u>

27.98 25.08 18.50 15.00 2.00 -1.88 4.00 #0.19 (TYP 2 PLS) 3.90 DETAIL

D3536-41\_GASKET


- MOTES

  1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60
  DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE 3) PART IS SYMM

- PINISH: NONE
  PART IS SYMMETRICAL ABOUT ©
  TOLERANCES ARE PER DART QSI 018 UNLESS
  OTHERWISE NOTED
  ALL DIMENSIONS ARE IN INCHES
  DIDENTIFY WITH DART P/N USING A WHITE FINE POINT
  PERMANENT INK MARKER









CB CB	CB	DART AEROSPACE USA, INC.
CHECKED	APPROVED //	DRAWING NO. REV. A
TH.	*	D3536 SHEET 6 OF 6
DATE		TITLE SCALE
06.10.25		GASKET 1:10